From:

Dave R Elder/PharmUS/GSK[dave.r.elder@gsk.com]

To:

Brian D Phillips/RTP/PSF/GSK@GSK[Brian.D.Phillips@gsk.com]; David A

Swift/RTP/PSF/GSK@GSK[David.A.Swift@gsk.com]; David J

Mosher/RTP/PSF/GSK@GSK[David.J.Mosher@gsk.com]; Elizabeth C
Sylvia/RTP/PSF/GSK@GSK[Elizabeth.C.Sylvia@gsk.com]; Glenn W
Kirchner/RTP/PSF/GSK@GSK[Glenn.W.Kirchner@gsk.com]; James C
Rollins/RTP/PSF/GSK@GSK[James.C.Rollins@gsk.com]; James J
Altrichter/RTP/PSF/GSK@GSK[James.J.Altrichter@gsk.com]; John J
Dimaggio/RTP/PSF/GSK@GSK[John.J.Dimaggio@gsk.com]; John J
Mayer/RTP/PSF/GSK@GSK[John.J.Mayer@gsk.com]; John K

Foy/RTP/PSF/GSK@GSK[John.K.Foy@gsk.com]; John K Richardson/RTP/PSF/GSK@GSK[John.K.Richardson@gsk.com]; Jose M Montanez/RTP/PSF/GSK@GSK[Jose.M.Montanez@gsk.com]; Ken B

King/RTP/PSF/GSK@GSK[Ken.B.King@gsk.com]; Lisa A

Machado/RTP/PSF/GSK@GSK[Lisa.A.Machado@gsk.com]; Mary M O'Neill/RTP/PSF/GSK@GSK[Mary.M.O'Neill@gsk.com]; Rick R Gatlin/RTP/PSF/GSK@GSK[Rick.R.Gatlin@gsk.com]; Robert P Hastings/RTP/PSF/GSK@GSK[Robert.P.Hastings@gsk.com]; Ross J Metzler/RTP/PSF/GSK@GSK[Ross.J.Metzler@gsk.com]; Shannon M Heath/RTP/PSF/GSK@GSK[Shannon.M.Heath@gsk.com]; Stephen C Gaddy/RTP/PSF/GSK@GSK[Stephen.C.Gaddy@gsk.com]; Tom J Tyma/RTP/PSF/GSK@GSK[Tom.J.Tyma@gsk.com]; Troy B Fowler/RTP/PSF/GSK@GSK[Troy.B.Fowler@gsk.com]; Vivian L Ryan/RTP/PSF/GSK@GSK[Vivian.L.Ryan@gsk.com]; Luis E Ortiz-

Ortiz/RTP/PSF/GSK@GSK[Luis.E.Ortiz-Ortiz@gsk.com]; Arturo R Sanabria/GNB/Pharms/SB_PLC@SB;

Michael D Hossenlopp/RTP/PSF/GSK@GSK[Michael.D.Hossenlopp@gsk.com]; William E

McNey/RTP/PSF/GSK@GSK[William.E.McNey@gsk.com]

CC:

 $Ted\ T\ Geiger/PharmUS/GSK@GSK[ted.t.geiger@gsk.com]\ ;\ David\ M$

Foye/PharmUS/GSK@GSK[david.m.foye@gsk.com]; Lisa M Spiess/PharmUS/GSK@GSK[lisa.m.spiess@gsk.com]; Charles K Gayer/PharmUS/GSK@GSK[charles.k.gayer@gsk.com]; Anne J Grimm/PharmUS/GSK@GSK[anne.j.grimm@gsk.com]; Robert A

Yanez/PharmUS/GSK@GSK[robert.a.yanez@gsk.com]

BCC:

Date Sent:

8/22/2004 3:14:37 PM

Subject:

Asthma Presenation at PCMM

Attachment names	Size (Kb)	Document Type
01_Asthma_PCMM_Presentation081804.ppt	574976	Microsoft Powerpoint slide deck

Attached below is the Asthma Presentation that was given at the PCMM. Please let me know if you have any questions.

Dave Elder Senior Product Manager, Asthma Marketing



Dave Elder Asthma Marketing

Opening:

•Vision (What is your vision for Advair?)

There are two parts to a vision:

- ·Having a vision
- •Having confidence in your ability to make the vision a reality

Having confidence in your ability to make the vision a reality is the hardest part:

•Maintaining your confidence when you have already achieved great success

We want to help you maintain, if not increase, your level of confidence in Advair.

- •Reshape your vision
- •Share with you the plan to make the vision a reality

The Opportunity for ADVAIR

Performance Metrics

- ADVAIR
 - Sales: \$3.018 Billion
 - 27% Sales Growth (Yr-Yr)
 - Rx Volume: 16.9 Million
 - 23% Overall Growth (Yr-Yr)
- Childhood Asthma
 - Sales: \$105 Million Increase from Pediatricians
 - \$30 Million Stretch Goal
 - 46% Increase in Pediatrician TRx (Yr-Yr)

Performance metrics:

- •We are all familiar with these numbers
- •Advair is now the engine that drives GSK.

The Opportunity for ADVAIR

Total Advair


Sales	Budget	% to	% Growth vs. YAG
(\$)	(\$)	Budget	
1,761,139M	1,814,154M	97%	28%

How confident are your?

- •Maintaining your confidence when you have already achieved great success
- •Customers telling you that they already prescribe a lot of Advair

The Opportunity for ADVAIR

	Year 2	Year 3	Year 4
Lipitor	193%	50%	30%
Celebrex	39%	6%	-7%
Vioxx	125%	4%	-20%
ADVAIR	97%	33%	23%



Why is Fall the season?

- •Increase in prescription volume
- •Increase in symptoms coincides with increase in prescription volume

A great Fall will set-up a great Spring

The Asthma Opportunity


- Realize
 - What are we trying to achieve
- Identify
 - Who are we trying to move
- Attain
 - How are we going to move them
- Maximize
 - Focusing on the plan

Reshaping the vision:

- •Realizing the opportunity. This is about agreeing on what it is that we are trying to achieve.
- •Identifying the opportunity. This is about agreeing on who it is that we are going to have to affect in order to realize our vision.

Making the vision a reality:

- •Attaining the opportunity. This is about agreeing on how we are going to move these people.
- •Maximizing the opportunity. This is about focusing on, and staying true to, the plan we have put together.



Source of business:


- Existing patients
- •New to asthma therapy
- •Very little product switching

New to asthma therapy:

- •40%-60% of patients new to asthma therapy will be put on Rescue-only
- •Remainder is equally split among the other products

What are we trying to achieve:

- •Realize that one opportunity is in patients new to asthma therapy
- •Understand that getting your product on first is the most important thing to do



Control of Rescue-only patients:


- •Only 1/3 are using 3 or less canisters per year
- •2/3 are having to use 4 or more canisters per year
- •27% are using 10 or more canisters per year

Why Rescue-only?

- •Patients have 'mild' symptoms (more seasonal annoyance)
- •Physician are generally unaware of impact of symptoms
- •Goal is to treat symptoms (patients 'get' asthma vs. 'have' asthma)

What are we trying to achieve:

- •Realize that another opportunity is in Rescue-only patients
- •Understand that 2/3 of Rescue-only patients are uncontrolled
- •Agree that Advair is an appropriate first choice for these patients



Patients on Controllers:


- •1/3 of patients are getting Advair (why physicians say they prescribe a lot of Advair)
- •2/3 getting something other than Advair (tremendous opportunity)

Why Advair?

- Patients complain about symptoms
- •Physician are acutely aware of impact of symptoms on patients
- •Goal is to prevent events

Why not Advair?

- •Patients have 'mild' symptoms (mix of seasonal/year round hindrance)
- •Physician are generally aware of impact of symptoms on patients
- •Can always add/switch to Advair if necessary



Do physicians change patients initial therapy?

•About 60% of patients stay on the product they started on

What are we trying to achieve:

- •Realize 2/3 of patients on Controllers are getting something other than Advair
- •Realize that there is little switching of patients from their initial therapy
- •Understand that getting your product on first is the most important thing to do

Realize the Opportunity of ADVAIR in Asthma

- Fall is the Season!!!
- It is about Getting ADVAIR on First!!!
 - 50% of Newly Treated Patients Start with Rescue-Only
 - Majority of Patients Continue on Initial Therapy
- The Upside for ADVAIR is BIG!!!
 - Majority of Rescue-Only Patients are Uncontrolled
 - 2/3 or Patients are Getting Something Other than ADVAIR

What are we trying to achieve?

•It is all about getting Advair on first

Why Advair first?


- •Majority of Rescue-only patients are uncontrolled (Myth of Mild Asthma)
- •Advair is superior to Flovent and Singulair

What does this mean to you?

- •Large number of symptomatic patients who would greatly benefit from Advair
- •New source of Advair prescriptions (increase in prescription volume)
- •More incentive compensation

Who are we trying to affect to make this happen?

•PCPs see the majority of these patients



What have we learned about PCPs?

- •Symptoms is what drives PCPs (not Rescue use look at Rescue-only patients)
- •Choice of medication is primarily driven by impact of symptoms on patients

Strategic Objectives


- Establish Earlier Use of ADVAIR in Adults
- Establish Efficacy and Convenience of ADVAIR in Kids

Focus on moving the PCPs:

•Increase use of Advair as Single Controller

Two ways to move PCPs:

- •Move Advair to the patient
- •Move the patient to Advair



Confirmation of promotional strategy:

- •Research with physicians has confirmed that our approach the past two years has been correct
- •Research with the Sales Force has confirmed that our mix was wrong

"Move ADVAIR"



Treatment Algorithm

When: When your goal is quick control and prevention of asthma

symptoms

Why: Advair provides early improvement that is sustained over time

• ADVAIR 'simplifies' asthma management

How: Make Advair 100/50 your first choice for patients symptomatic on

rescue medication.

Lead with Advair:

- •Create the setting (talk about the specific patient type)
- •Describe the problem (even these patients experience symptoms and need relief)
- •Offer the solution (share how Advair is the appropriate first choice for these patients)

Handling the common objection:

- •Understand why the physician is giving the objection (Advair superiority data)
- •Separate the two patient types (new to controller therapy switch patients)
- •Stay focused on the new to asthma therapy and/or Rescue-only patients

Message Testing Research Study

- "Quick and Sustained Control" was the most compelling message
 - Caused physicians to think about prescribing ADVAIR for a broader range of patients
 - Many physicians mentioned they did not realize ADVAIR worked as rapidly as stated
 - Physicians inferred that the addition of salmeterol allowed ADVAIR to gain control of symptoms quickly
 - Increase in symptom-free days was the goal physicians wanted to achieve for their patients
- Affirmed at PCP National Advisory Board

Why will this approach work?

- •Extensive research with physicians
- •Goals of research (ability to reach patients not on Advair)
- •Involvement of large number of people across multiple disciplines

What have we learned?

- •"Quick and compelling" was the best way to move the PCPs
- Affirmed at PCP National Advisory Board

Treatment Algorithm

Asthma Control

"Move Patient"

Objection Handler Sell Sheets for Adult Asthma

- Variability & Unpredictability (Calhoun & Dorinsky)
- Asthma Control (Fuhlbrigge & Stempel)
- Safety Profile (Prescribing Information)
- Refill Persistence (Stoloff)

Move patient to Advair:

- •Stay focused on new to therapy or Rescue-only patients (little switching)
- •Understand what the physician is saying (Advair adds nothing)
- •Use Objection Handler Sell Sheets (pick one)
- •Gives them another reason to start on Advair (not switch patients)

Attaining the Opportunity of ADVAIR in Childhood Asthma

When: When your goal is control and prevention of asthma symptoms.

Why: Advair provides improvement that is sustained over time.

- Advair provides 90% increase in symptom-free days vs. FP (Kavuru)
- Advair provides 60% reduction in Rescue use vs. FP (Kavuru)
- Advair provides improvement in lung function vs. Baseline (30031 and Van den Berg)
- Children 4 years of age and older have the inspiratory flow necessary to use the Diskus device

How: Make Advair 100/50 your choice for patients symptomatic on an ICS.

Childhood Asthma Campaign:

•Keep doing what you are doing – it is working

Attaining the Opportunity of ADVAIR in Childhood Asthma

Childhood Asthma Message Tracking Study

- 95% remembered being detailed on ADVAIR
 - · Goal was 90%
- Unaided message recall is good
 - 71% remembered efficacy message
 - · 53% remembered the indication
- 56% said they would increase their prescribing of ADVAIR
 - 49% of Pediatricians
 - 82% of PED-Like PCPs

What have we learned?

- •95% of targets remembered being detailed (above goal outstanding)
- •Unaided message recall is really good
- •Indications are that prescribing of Advair will increase

Next steps:

- •Fall is even bigger in Pediatricians
- •Stay the course (general direction)
- •Improve detailing efforts to targets

Promotional Materials

- Adult Asthma
 - · Core Sales Aid, Objection Handlers, Sell Sheet, File Card
 - · Reprints: Calhoun and Fuhlbrigge
 - · on the Go Program Brochures
- Childhood Asthma
 - · Core Sales Aid, Sell Sheet, Leave Behind
 - · Promise Program Patient Brochures
 - · Reprints: Kavuru, Van den Berg and Allen

Promotional Programs

- Asthma & Allergic Rhinitis Case-Based CD-ROM
 - Faculty-Led Video Conference (Main Presentation)
 - Faculty-Led Video "Quick Hits" (Objection Handlers)
 - Three (3) Case-Based Slide Presentations

New Asthma Sales Aid:

•Will review in workshop

Case-Based CD-ROM:

•Review components

Program Delivery Expectations

- Asthma & Allergic Rhinitis Case-Based CD-ROM
 - 35 physicians per TBU
 - Adult & Childhood Asthma
 - Rep Delivered In-Office Program
 - » Faculty-Led Video Conference (Main Presentation)
 - » Rep Led Case-Based Presentation
 - Physician-to-Physician Program
 - » Live Physician Led Case-Based Presentation

Deliverables in Semester II:

•35 "touches" per TBU (agreed upon with the MDMs)

Maximizing the Opportunity of ADVAIR

- Lead with strong detail that positions Advair as the "First Choice".
 - Started Working as Early as Day One
 - Helped Maintain Symptom Control Over Time
- Use available tools to handle objections
 - Objection Handler Sell Sheets
 - Faculty-Led "Quick Hit" Videos
- Deliver on Program Expectations
 - 35 Physicians per TBU

Reshaping the vision:

- •New to therapy and Rescue-only patients (these patients have symptoms)
- •It is all about getting Advair on first (even the patients with more seasonal symptoms)

Making the vision a reality:

•It will take everyone in order to maximize our opportunity (cannot do it alone)